

WaterPro™ 2



Fresh water supply, all year.

The Tru-Test range of reliable and accurate weighing systems have been helping producers for over 30 years.

During that time, we've realized that focusing on making your everyday tasks as easy and effortless as possible, is just as important as our hi-tech livestock management systems.

Tru-Test Livestock Waterers are designed to deliver a fresh water supply for your livestock, all year round.

Animal health and performance is important to us, along with the best possible management of your valuable resources, like water.

- ✓ Easy to access, clean and maintain
- ✓ Industry leading Jobe Compact Valves
- ✓ Braided stainless steel water hose
- Large stainless steel eyebolt fasteners enabling tool-free access
- ✓ Built-in, easily accessible water cut off switch
- ✓ Drain plugs can be used to seal off one side
- ✓ First set of spares included
- 8 year hassle-free warranty

Features and Specifications		
Product size	996 mm x 563 mm x 730 mm 39.2" x 22.1" x 28.75"	
Product weight	39.5 kgs / 87 lbs	
Drinking height	550 mm / 21.65"	
Maximum capacity	27 L / 7 Gal	
Herd capacity	75 beef / 75 horses	
Operating temperature	-40°C to 49°C / -40°C to 120°F	
Shipper size	1010mm x 580mm x 760mm 39.75" x 22.8" x 29.92"	
Shipper weight	33 kgs / 72.75 lbs	
Tank material	Linear low density polyethylene, long term UV-8 stabilized	
Valve material	Superior corrosion resistant material	
Valve diameter	Ø 3/4" / Ø 20mm	

Value Ratings	PSI Rating	Maximum Flow (gallon per minute at 30 PSI)
	0 - 150 PSI	3
Order Information		
Part No: 831832 Gtin 13 (Each): 9414731429138	Auto Waterer WaterPro2	

Although the information presented in this Product Information Sheet is believed to be accurate and reliable, no $responsibility for inaccuracies \, can \, be \, assumed \, by \, Datamars \, Limited. \, Performance \, data \, is \, typical \, only \, and \, variations$ $due to component \, manufacturing \, tolerances \, are \, normal. \, Data mars \, Limited \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, the \, right \, at \, any \, time \, to \, change \, and \, reserves \, a$ performance characteristics or specifications without prior notice. All trademarks with an * are not owned by Datamars and belong to their respective owners. $@\,Datamars\,Limited\,\text{-}\,All\,rights\,reserved.$

3462TT02 Issue 2 12/20